

# Teatre lliure



## TECHNICAL RIDER

### ESPAI LLIURE

Plaça Margarida Xirgu, 1  
08004 Barcelona  
Phone 0034 93 289 27 70  
Web [www.teatrelivre.com](http://www.teatrelivre.com)

# GENERAL

---

## THEATRE

Building with two theatres:

- 1.-Sala Fabià Puigserver
- 2.-Espai Lliure

- 1.- Modular theatre and we can change the configuration of the auditorium and the capacity of the audience.
- 2.- Small theatre with seats at three or four sides.

## TECHNICAL CREW

Technical office:

E-mail: [tecnic@teatrelliure.com](mailto:tecnic@teatrelliure.com)

Telephone: +0034 93 289 27 74

Position	Name	Extension	Phone number	E-mail
Technical Director	César Fraga	2230	0034 646 761 239	<a href="mailto:cfraga@teatrelliure.com">cfraga@teatrelliure.com</a>
Assistant Technical Director	Jordi Vall-Ilovera	2231	0034 664 862 567	<a href="mailto:jvallo@teatrelliure.com">jvallo@teatrelliure.com</a>
Technical Coordinator	Rai García	2232	0034 664 862 568	<a href="mailto:rgarcia@teatrelliure.com">rgarcia@teatrelliure.com</a>
Secretary of OFT	Sabrina Gràcia	2329	0034 609 813 519	<a href="mailto:sgracia@teatrelliure.com">sgracia@teatrelliure.com</a>

Crew:

Position	Name	Extensió	Mòvil	E-mail
Chief of Stage Managers	María Rosales	2311	0034 664862727	<a href="mailto:mrosales@teatrelliure.com">mrosales@teatrelliure.com</a>
Chief of Stage Technicians	Bernat Cardoner	2236	0034 664862575	<a href="mailto:bcardoner@teatrelliure.com">bcardoner@teatrelliure.com</a>
Chief of Lighting technicians	Marc Lleixà	2235	0034 664862572	<a href="mailto:mlleixa@teatrelliure.com">mlleixa@teatrelliure.com</a>
Chief of Audiovisuals	Igor Pinto	2234	0034 664862570	<a href="mailto:ipinto@teatrelliure.com">ipinto@teatrelliure.com</a>
Chief of Costum	Montse Olivella	2314	0034 664862727	<a href="mailto:molivella@teatrelliure.com">molivella@teatrelliure.com</a>



# ACCESS- LOCATION

Road:



Entry Barcelona C-31 Gran Via direction España square.  
GPS coordinates

Latitude: 41° 22' 15.60" N  
 Length: 2° 9' 23.57" E



Access : **L1**, **L3** Plaza España  
**L3** Poble sec

Bus Plaza España: 9,13,27,30,37,50,57,65,109,157,  
 N0,N1,N2,N13,N15,N53,EA,EN  
 Bus Calle Lleida: 55

Bicing: Calle França Xica con Calle Ricard  
 Avenida Rius i Taulet with Calle Lleida

Ferrocarriles Generalitat: Plaza España






## ACCESS SET/LOAD-UNLOADING

Unloading sets sala Fabià Puigserver **1** al Carrer Baix.

Crew entry Plaça Margarida Xirgú **2** Plaça Margarida Xirgú

If you need parking for trucks, please contact with the technical office.



## WORK PLANNING

Within the framework and collective agreement between the company and employees of the Teatre Lliure foundation there are regulations for each work shift for all employees of the foundation. It is not permitted to exceed a 9 hour maximum working day, and a 43 hours maximum per week. There are two shifts, morning and afternoon/evening. Each shift allows a 30 minute break if the shift is inferior to 7 ½ hours. If the shift exceeds the 7 ½ hours mark then the break is 45 minutes.

Normally the shifts are organised in the following way:

Morning shift: 08:00h – 15:30h

Afternoon/Evening Shift: 15:00h – 22:15h

When working during a performance the working hours are:

3 Hours prior to the beginning of the performance

Sundays: 2 Hours prior

Whenever the pre-arranged works cannot be carried out during this timetable, contact the technical office to make an agreement.

## REGULATIONS

The companies which work alongside Teatre Lliure will respect the rules of prevention defined in the work plan, labour risks and self protection. No company may exceed 115 dB(A) of acoustic pressure during the performance in any possible configuration of the theatre or for any of the spectators' seats/stalls.

The light in the theater for public access may never be inferior to 100 Lux in any seat, stall or aisle.


# Sala Espai Lliure

## DESCRIPTION

You can have audience space with 2,3 or 4 sides. Capacity depending configuration

## PLAN THEATRE ESPAI LLIURE

Configuration 157 seats



## STAGE

### **DIMENSION**

You can have audience space with 2, 3 or 4 sides. Capacity depending configuration.



#### WIDTH

Forestage: 6000

#### DEPTH

Forestage: 6000

#### HEIGHT

Stage floor-grid: 4850

Tilt stage: 0%

#### STAGE FLOOR

Material: Wood

Screwing: Yes

Surface area: 330 m2

#### LOADING/UNLOADING

1600 Width x 2600 Height

Distance to stage: 5000

Communication between

Outside to stage: NO

Sizes in mm

## STAGE EQUIPEMENT

The list of material is common to both auditoriums of the theatre Lliure and for the different technical sections. Look availability.

### ALL SECTIONS

#### DANCE FLOOR

Width	Height	Description	Quantity
2000	7890	Linoleum Harlequin DUO white-black	8

# LIGHT

## DIMMERS

Digital N° channels: 78. Power: 3000w. Model: ETC  
Digital N° channels: 6. Power: 5000w. Model: ETC

## SIGNAL DIGITAL:

DMX 512, 3 universes and Ethernet  
Points of connection: around the theatre.  
Patch in control room.

## LIGHTING DESK

ETC EOS IONXE20

## LIGHT AUDITORIUM

Control from light desk and control room.

## PLUGS

All plugs until 3kw are "CEE 7/4" tipos "F".(Shuko) **1**

Until 5kw single face(2P+T) **2** Cetac32A (3P+T+N) **3**



**1**



**2**



**3**

## LIGHTING FIXTURES

The list of material is common to both auditoriums of the theatre Lliure and for the different technical sections. Look availability.

LIGHT	QUANTITY
PAR 64 Mod. THOMAS	20
PC Robert Juliat 306H 1KW	24
FRESNEL STRAND QUARTET 650W	5
Profile ETC S4 Zoom 750W 25/50	16
Profile ETC LED Lustr Series 2 (without lens)	16
Profile ETC JR. 575W 25/50	6
IRIS ETC JR.	3

## AUDIOVISUAL

### Sound

#### MIXER

MIDAS M32R LIVE +DL32

#### SPEAKERS

BRAND	DESCRIPTION	QUANTITY
ELECTROVOICE	RX-112	4
ELECTROVOICE	ZLX-18	2
GENELEC	1032 SIDES	4
GENELEC	8040 FRONT	2

#### AMPLIFIERS

BRAND	DESCRIPTION	QUANTITY
CRONW	MA-24X6E	4

#### RECORD & PLAYER

TYPE	BRAND	DESCRIPTION	QUANTITY
		Look availability	1

#### MICROPHONES

Several AKG, SHURE, BRUEL KJAER, SENNHEISER, wireless... Look availability.

#### COMUNICACION

TYPE	BRAND	DESCRIPTION	QUANTITY
Intercom	CLEAR COM	Complete with cable	3